CONTENTS

PART 1 AUGUST 1992

SORICE, M., LENTI, L., MISASI, R., CONTINI, C., CIGNARELLA, L., GRIGGI, T., VULLO, V. and MASALA, C. Evidence for the existence of ganglioside molecules on *Pneumocystis carinii* from human lungs 1

CURFS, J. H. A. J., HERMSEN, C. C., MEUWISSEN, J. H. E. TH. and ELING, W. M. C. Immunization against cerebral pathology in *Plasmodium berghei*-infected mice 7

FIELD, S. J., RANGACHARI, K., DLUZEWSKI, A. R., WILSON, R. J. M. and GRATZER, W. B. Effect of intra-erythrocytic magnesium ions on invasion by *Plasmodium falciparum* 15

SNOUNOU, G., BOURNE, T., JARRA, W., VIRIYAKOSOL, S. and BROWN, K. N. Identification and quantification of rodent malaria strains and species using gene probes 21

GRAMICCIA, M., SMITH, D. F., ANGELICI, M. C., READY, P. D. and GRADONI, L. A kinetoplast DNA probe diagnostic for *Leishmania infantum* 29

DYE, C., KILLICK-KENDRICK, R., VITUTIA, M. M., WALTON, R., KILLICK-KENDRICK, M., HARITH, A. E., GUY, M. W., CAÑAVATE, M.-C. and HASIBEDER, G. Epidemiology of canine leishmaniasis: prevalence, incidence and basic reproduction number calculated from a cross-sectional serological survey on the island of Gozo, Malta 35

HASIBEDER, G., DYE, C. and CARPENTER, J. Mathematical modelling and theory for estimating the basic reproduction number of canine leishmaniasis 43

GOLD, D. and OFEK, I. Adhesion of *Trichomonas vaginalis* to plastic surfaces: requirements for energy and serum constituents 55

SMITH, A. L., HUGGINS, M. C. and HAVERCROFT, J. C. *Schistosoma mansoni*: adult males and females differentially express antigens encoded by repetitive genomic DNA 63

LINDER, E. and THORS, C. *Schistosoma mansoni*: praziquantel-induced tegumental lesion exposes actin of surface spines and allows binding of actin depolymerizing factor, gelsolin 71

MOFFAT, D. and KUSEL, J. R. Fluorescent lipid uptake and transport in adult *Schistosoma mansoni* 81

SUTHERLAND, I. A., MOUNSEY, D. A., EISLER, M. and HOLMES, P. H. Kinetic modelling of isometamidium chloride (Samorin) uptake by *Trypanosoma congolense* 91

BENDER, K., BETSCHART, B., SCHALLER, J., KÄMPFER, U. and HECKER, H. Sequence differences between histones of procyclic *Trypanosoma brucei brucei* and higher eukaryotes 97

ADLER, G. H., TELFORD, S. R., III, WILSON, M. L. and SPIELMAN, A. Vegetation structure influences the burden of immature *Ixodes dammini* on its main host, *Peromyscus leucopus* 105

SERRANO, F., PÉREZ, E., REINA, D. and NAVARRETE, I. *Trichinella* strain, pig race and other parasitic infections as factors in the reliability of ELISA for the detection of swine trichinellosis 111

LAMMAS, D. A., WAKELIN, D., MITCHELL, L. A., TUOHY, M., ELSE, K. J. and GRENCIS, R. K. Genetic influences upon eosinophilia and resistance in mice infected with *Trichinella spiralis* 117

BELL, R. G. Variation in responsiveness to *Trichinella spiralis* infection in inbred rat strains 125

REA, J. G. and IRWIN, S. W. B. The effects of age, temperature, light quantity and wavelength on the swimming behaviour of cercariae of *Cryptocotyle lingua* (Digenea: Heterophyidae) 131

MICHAEL, E. and BUNDY, D. A. P. Protein content of CBA/Ca mouse diet: relationship with host antibody responses and the population dynamics of *Trichuris muris* (Nematoda) in repeated infection 139

BOOTH, M. and BUNDY, D. A. P. Comparative prevalence of *Ascaris lumbricoides*, *Trichuris trichiura* and hookworm infections and the prospects for combined control 151

PART 2 OCTOBER 1992

SHIEH, J.-N. and ROSSIGNOL, P. A. Opposite influences of host anaemia on blood feeding rate and fecundity of mosquitoes 159

NEILL, A. L. and HUNT, N. H. Pathology of fatal and resolving *Plasmodium berghei* cerebral malaria in mice 165

BECUWE, P., SLOMIANNY, C., VALENTIN, A., SCHREVEL, J., CAMUS, D. and DIVE, D. Endogenous superoxide dismutase activity in two *Babesia* species 177

SMYTH, A. J., GHOSH, A., HASSAN, MD. Q., BASU, D., DE BRUIJN, M. H. L., ADHYA, S., MALLIK, K. K. and BARKER, D. C. Rapid and sensitive detection of *Leishmania* kinetoplast DNA from spleen and blood samples of kala-azar patients 183

BATES, P. A., ROBERTSON, C. D., TETLEY, L. and COOMBS, G. H. Axenic cultivation and characterization of *Leishmania mexicana* amastigote-like forms 193

LUACES, A. L., PICÓ, T. and BARRETT, A. J. The ENZYMEBA test: detection of intestinal *Entamoeba histolytica* infection by immunoenzymatic detection of histolysain 203

OSORIO, L. M., PICÓ, T. and LUACES, A. Circulating antibodies to histolysain, the major cysteine proteinase of *Entamoeba histolytica*, in amoebic liver abscess patients 207

CHAVEZ-OLORTEGUI, C., RESENDE, M. and TAVARES, C. A. P. Purification and characterization of a 47 kDa protease from *Schistosoma mansoni* cercarial secretion 211

FULFORD, A. J. C., BUTTERWORTH, A. E., STURROCK, R. F. and OUMA, J. H. On the use of age-intensity data to detect immunity to parasitic infections, with special reference to *Schistosoma mansoni* in Kenya 219

CABLE, J. and TINSLEY, R. C. Unique ultrastructural adaptations of *Pseudodiplorchis americanus* (Polystomatidae: Monogenea) to a sequence of hostile conditions following host infection 229

REA, J. G. and IRWIN, S. W. B. The effects of computer-controlled shadow stimuli on the success of cercarial transmission by *Cryptocotyle lingua* (Digenea: Heterophyidae) 243

BRAILSFORD, T. J. and BEHNKE, J. M. The dynamics of trickle infections with *Ancylostoma ceylanicum* in inbred hamsters 247

MAYRHOFER, G., ANDREWS, R. H., EY, P. L., ALBERT, M. J., GRIMMOND, T. R. and MERRY, D. J. The use of suckling mice to isolate and grow *Giardia* from mammalian faecal specimens for genetic analysis 255

POULIN, R., CURTIS, M. A. and RAU, M. E. Effects of *Eubothrium salvelini* (Cestoda) on the behaviour of *Cyclops vernalis* (Copepoda) and its susceptibility to fish predators 265

NEEDHAM, C. S., BUNDY, D. A. P., LILLYWHITE, J. E., DIDIER, J. M., SIMMONS, I. and BIANCO, A. E. The relationship between *Trichuris tichiura* transmission intensity and the age-profiles of parasite-specific antibody isotypes in two endemic communities 273

PAGE, A. P., RUDIN, W. and MAIZELS, R. M. Lectin binding to secretory structures, the cuticle and the surface coat of *Toxocara canis* infective larvae 285

PAGE, A. P. and MAIZELS, R. M. Biosynthesis and glycosylation of serine/threonine-rich secreted proteins from *Toxocara canis* larvae 297

LEWIS, E. E., GAUGLER, R. and HARRISON, R. Entomopathogenic nematode host finding: response to host contact cues by cruise and ambush foragers 309

REID, A. P. and HOMINICK, W. M. Restriction fragment length polymorphisms within the ribosomal DNA repeat unit of British entomopathogenic nematodes (Rhabditida: Steinernematidae) 317

BRITTON, C., KNOX, D. P., CANTO, G. J., URQUHART, G. M. and KENNEDY, M. W. The secreted and somatic proteinases of the bovine lungworm *Dictyocaulus viviparus* and their inhibition by antibody from infected and vaccinated animals 325

HARDER, A., WUNDERLICH, F. and MARINOVKSI, P. Effects of testosterone on *Heterakis spumosa* infections in mice 335

PART 3 DECEMBER 1992

HENDERSON, W. R. JR and CHI, E. Y. Cytotoxic activity of 13-hydroxyoctadecadienoic acid against *Toxoplasma gondii* 343

ROSE, M. E., HESKETH, P. and WAKELIN, D. Immune control of murine coccidiosis: $CD4^+$ and $CD8^+$ T lymphocytes contribute differentially in resistance to primary and secondary infections 349

MCNALLY, J., O'DONOVAN, S. M. and DALTON, J. P. *Plasmodium berghei* and *Plasmodium chabaudi chabaudi*: development of simple *in vitro* erythrocyte invasion assays 355

SNOUNOU, G., BOURNE, T., JARRA, W., VIRIYAKOSOL, S., WOOD, J. C. and BROWN, K. N. Assessment of parasite population dynamics in mixed infections of rodent plasmodia 363

ANDREWS, R. H., CHILTON, N. B. and MAYRHOFER, G. Selection of specific genotypes of *Giardia intestinalis* by growth *in vitro* and *in vivo* 375

BÓZNER, P., GOMBOŠOVÁ, A., VALENT, M., DEMEŠ, P. and ALDERETE, J. F. Proteinases of *Trichomonas vaginalis*: antibody response in patients with urogenital trichomoniasis 387

COPPENS, I., TER KUILE, B. H. and OPPERDOES, F. R. Impairment of growth of *Leishmania donovani* by *Trypanosoma brucei* during co-culture 393

STEWART, T. J., SMITH, A. L. and HAVERCROFT, J. C. Analysis of the complete sequence of a muscle calcium-binding protein of *Schistosoma mansoni* 399

AMEN, R. I. and DE JONG-BRINK, M. *Trichobilharzia ocellata* infections in its snail host *Lymnaea stagnalis*: an *in vitro* study showing direct and indirect effects on the snail internal defence system, via the host central nervous system 409

BAYLIS, H. A., MEGSON, A., BROWN, C. G. D., WILKIE, G. F. and HALL, R. *Theileria annulata*-infected cells produce abundant proteases whose activity is reduced by long-term cell culture 417

FLETCHER, C. and WU, C. C. Antibodies against somatic antigens and excreted/secreted products of *Brugia pahangi* in rats with patent and non-patent infections 425

McMICHAEL-PHILLIPS, D. F., LEWIS, J. W. and THORNDYKE, M. C. Ultrastructural studies on the miracidium of *Sanguinicola inermis* (Digenea: Sanguinicolidae) 435

TAYLOR, M. J., VAN ES, R. P., TOWNSON, S. and BIANCO, A. E. Host strain, H-2 genotype and immunocompetence do not affect the survival or development of *Onchocerca lienalis* infective larvae implanted within micropore chambers into mice or rats 445

JENKINS, P., SPIERS, S., DIXON, J. B., CARTER, S. D. and MAY, S. The effects of tumour necrosis factor on host–parasite relations in murine *Mesocestoides corti* (Cestoda) infection 453

DE BOER, J. M., OVERMARS, H. A., BAKKER, J. and GOMMERS, F. J. Analysis of two-dimensional protein patterns from developmental stages of the potato cyst-nematode, *Globodera rostochiensis* 461

DAVIES, K. G. and DANKS, C. Interspecific differences in the nematode surface coat between *Meloidogyne incognita* and *M. arenaria* related to the adhesion of the bacterium *Pasteuria penetrans* 475

GULLAND, F. M. D. and FOX, M. Epidemiology of nematode infections of Soay sheep (*Ovus aries* L.) on St Kilda 481

GULLAND, F. M. D. The role of nematode parasites in Soay sheep (*Ovis aries* L.) mortality during a population crash 493

MAULE, A. G., SHAW, C., HALTON, D. W., BRENNAN, G. P., JOHNSTON, C. F. and MOORE, S. Neuropeptide F (*Moniezia expansa*): localization and characterization using specific antisera 505

SCHWEITZER, A. N. and ANDERSON, R. M. Dynamic interaction between CD4+ T cells and parasitic helminths: mathematical models of heterogeneity in outcome 513